

The Ophthimus System: High-Pass Resolution Perimetry and other component tests

Scientific references. May 1, 2008

Abe H, Shirakashi M: Evaluation of visual field loss in early glaucoma. *Atarashii Ganka* 11: 1000-1005, 1994 (in Japanese).

Ahn DS, Sample PA, Weinreb RN: High-pass resolution perimetry for assessment of primary open angle glaucoma. *ARVO Abstract, Invest Ophthalmol Vis Sci Suppl*, 1991.

Airaksinen PJ, Tuulonen A, Välimäki J, Alanko HI: Retinal nerve fiber layer abnormalities and high-pass resolution perimetry. *Acta Ophthalmol* 68: 687 - 689, 1990.

Altieri M, Iester M, Capris P, Traverso CE, Vittone P, Zingirian M: High-pass resolution perimetry and frequency doubling technology in glaucoma patients and ocular hypertension subjects. In: *Perimetry Update 2000/2001*, M Wall, JRP Mills, eds. Kugler, The Hague, pp 233 – 39.

Altieri M, Iester MM, De Feo F, Sanna G, Capris P, Zingirian CE: Loss of M-cells or P-cells in early glaucoma diagnosis. *ARVO 2001, Abstract No. 797*.

Altieri M, Iester M, Traverso CE, Capris P, Zingirian M: Correlation of relative dispersion analysis and other high pass resolution perimetry indices with standard threshold perimetry. In: *Perimetry Update 1998/1999*, M Wall, JM Wild, eds. Kugler, The Hague, pp 301 – 305.

Artes PH, Chauhan BC: The relationship between event-type change analyses with conventional perimetry (SAP), Frisén Ring perimetry (HRP), and Heidelberg Retina Tomography (HRT) in patients with glaucoma. *Abstract, XVI Perimetry & Imaging Symposium, Barcelona 2004*.

Artes PH, Chauhan BC: Longitudinal changes in the visual field and optic disc in glaucoma. *Prog Retin Eye Res.* 24:333-54, 2005.

Aydin P: High-pass resolution perimetry in normal tension glaucoma. *Abstract, Neuro-Ophthalmology* 23: 182, 2000.

Aydin P: Assessment of visual fields with high-pass resolution perimetry in idiopathic intracranial hypertension. *Abstract, Neuro-Ophthalmology* 23:190, 2000.

Aydin P., Bozbeyoglu S., Kucukerdonmez C., Akman A., Oto S., Yilmaz G., Akova Y.A. Glare sensitivity results of different intraocular lenses. *Abstract, European Association for Vision and Eye Research, October 10 – 13, 2001*.

Aydin P., Ertana A., Akman A., Oto S., Yilmaz G., Akova Y.A. Contrast sensitivity effect of acrylic and PMMA IOLS. *Abstract, European Association for Vision and Eye Research, October 10 – 13, 2001*.

Aydin P, Gedik S, Eyyapan Ö, Küçükerdönmez C, Akman A: Visual field changes with high-pass resolution perimetry in patients taking chloroquine and hydroxychloroquine. *Abstract, Int Neuro-Ophthalmol Soc Meeting, 2002, pp 17 – 18*.

Aydin P, Oto S, Kadayifcilar S: Visual field changes with ring perimetry in patients with chronic renal failure. *Abstract, 11th Int Neuro-ophthalmology Symposium, Sydney 1996*.

Azegami Y, Fujimoto N, Adachi E: Comparison between high-pass resolution perimetry and Octopus automatic perimeter. *Paper presented at Kento Ophthalmology Meeting, Japan 1993 (in Japanese)*.

Bachmayer B: Sehschärfepерimetrie nach Frisén: Normales Gesichtsfeld und Erfassung von

Gesichtsfelddefekten bei Netzhaut-Sehnerv- und Sehbahnenerkrankungen. Thesis, University of Munich, 1993.

Barosco F, Brusini P, Di Giorgio G, Chizzolini M: High-pass resolution perimetry in the early detection of macular alterations in patients taking hydroxichloroquine. In: *Perimetry Update 1996/1997*, M Wall, A Heijl, eds. Kugler, Amsterdam 1997, pp 435 - 439.

Bartz-Schmidt KU, Weber J: Einfluss der Diagnose auf das Verhältnis von Raum - und Intensitätsschwellen im Gesichtsfeld. Abstract Deutsche Ophthalmol Gesellschaft, Mannheim 1992.

Bartz-Schmidt KU, Weber J: Comparison of spatial thresholds and intensity thresholds in glaucoma. *Int Ophthalmol* 17: 171 - 178, 1993.

Birt CM, Malam F: High-pass resolution perimetry vs. light sensitivity perimetry in ocular hypertensives: a prospective study of test sensitivity. *ARVO Abstract, Invest Ophthalmol Vis Sci* 41(4), 2000.

Birt CM, Malam F: High-pass resolution perimetry versus light sensitivity perimetry in ocular hypertensives. A prospective study of test sensitivity. In: *Perimetry Update 2000/2001*, M Wall, JRP Mills, eds. Kugler, The Hague, pp 241 – 88.

Birt CM, McCarty B, Shin DH, Kim C, Reed SY, Parrow KA: Comparison of high-pass resolution perimetry and differential light sense perimetry. *ARVO Abstract, Invest Ophthalmol Vis Sci Suppl*, 1994.

Birt CM, Shin DH, Kim C, Rath E, Hong YJ, Samudrala V, McCarty B: Comparative study of high-pass resolution perimetry, Humphrey Field Analyzer perimetry and optic disc analysis. *ARVO Abstract, Invest Ophthalmol Vis Sci Suppl*, 1995.

Birt CM, Shin DH, McCarty B, Kim C, Lee DT, Chung HS: Comparison between high-pass resolution perimetry and differential light sense perimetry in patients with glaucoma. *J Glaucoma* 7: 111 - 116, 1998.

Bowering ER, LaRoche GR: The development of the central visual field in normal children as measured by high-pass resolution perimetry. Abstract, Intern Perimetric Soc, 2000.

Brito CF, Woodward KR, Wall M: A comparison of three types of perimetry in normal subjects: evidence for testing separate visual functions. *ARVO Abstract, Invest Ophthalmol Vis Sci* 41(4), 2000.

Brusini P, Barosco F: Impegno della perimetria high-pass resolution per lo studio del campo visivo di pazienti diabetici non retinopatici o affetti da retinopatia non proliferante. *Minerva Oftalmol* 36:261 - 265 , 1994.

Brusini P, Barosco F: Computerized automatic perimetry and high-pass resolution perimetry in diabetic patients. In: *Perimetry Update 1994/1995*, Mills RP and Wall M, eds, Kugler, Amsterdam 1995, pp 185 - 188.

Brusini P, Busatto P, Driussi G: Non-conventional visual field testing in patient with high-risk ocular hypertension. *Perimetry Update 1998/1999*, Wall M and Wild JM, eds, Kugler, The Hague 1999, pp 349 - 354.

Brusini P, Busatto P, Tosoni C: High-Pass Resolution Neural Capacity and Retinal Nerve Fiber Layer Thickness in Glaucoma. *Perimetry Update 1998/1999*, Wall M and Wild JM, eds, Kugler, The Hague 1999, pp 409 - 412.

Brusini P, Della Mea G, Lucci B: Perimetria automatica computerizzata (PAC) e perimetria high-pass resolution (HRP) nella sclerosi multipla. *Proc 2nd Congr Soc Ital Perimetria*, Taormina 1991. In press.

Brusini P, Miani F, Tosoni C: Perimetria high-pass resolution: una nuova tecnica di esplorazione del campo

visivo nel glaucoma. Proc LXXI Congr Soc Ital Oftalmol, Roma 1991, pp 245 - 254.

Brusini P, Miani F, Tosoni C: "High-pass resolution perimetry" (HRP) nel glaucoma. Proc 2nd Congr Soc Ital Perimetria, Taormina 1991. In press.

Brusini P, Miani F, Tosoni C: Impiego dei canali neurali retino- corticali per la stadiazione del glaucoma cronico ad angolo aperto. Boll Oculist 72 Suppl 2: 159 - 168, 1993.

Brusini P, Tosoni C, Marchini G, Marraffa M, Morselli S, Pucci V, Bonomi L: Valutazioni dell'efficacia a medio termine de tre betabloccanti mediante perimetria high-pass resolution. Minerva Oftalmol 36: 187 - 190, 1994.

Brusini P, Tosoni C, Miani F: Suddivisione in stadi del glaucoma chronico semplice: utilit... di un linguaggio comune nella clinica e nella ricerca. Minerva Oftalmol 36: 347 - 350, 1994.

Bynke H: Evaluation of high-pass resolution perimetry in neuro- ophthalmology. In: Perimetry Update 1990/91, Mills RP and Heijl A, eds, Kugler, Amsterdam 1991, pp 143 - 149.

Chauhan BC: The value of high-pass resolution perimetry in glaucoma. Curr Opin Ophthalmol 11: 85 - 89, 2000.

Chauhan BC, House PH: Intratest variability in conventional and high-pass resolution perimetry. Ophthalmology 98: 79 - 83, 1991.

Chauhan BC, House PH: Staircase procedures in conventional and high-pass resolution perimetry. J Glaucoma 3: 132 - 139, 1994.

Chauhan BC, House PH, McCormick TA, LeBlanc RP: Comparison of conventional and high-pass resolution perimetry in a prospective study of patients with glaucoma and normal controls. Arch Ophthalmol 117: 24 - 33, 1999

Chauhan BC, LeBlanc RP, McCormick TA, Mohandas RN, Wijsman K: Correlation between the optic disc and results obtained with conventional, high-pass resolution and pattern discrimination perimetry in glaucoma. Canad J Ophthalmol 28: 312 - 316, 1993.

Chauhan BC, LeBlanc RP, McCormick TA, Rogers JB: Comparison of high-pass resolution perimetry and pattern discrimination perimetry to conventional perimetry in glaucoma. Canad J Ophthalmol 28: 306 - 311, 1993.

Chauhan BC, Mohandas RN, Whelan JH, McCormick TA: Comparison of reliability indices in conventional and high-pass resolution perimetry. Ophthalmology 100: 1089 - 1094, 1993.

Corallo G: New techniques: blue/yellow perimetry – HRP(10'). Acta Ophthalmol Suppl 236: 20 – 21, 2002.

Corallo G, Gandolfo E, Grosso S, Banchemo C, Gatti G, Patrone G, Guidi C, Romiti S: Confronto tra perimetria high-pass resolution e perimetria tradizionale in neuro-oftalmologia. Minerva Oftalmol 36: 225 - 230, 1994.

Corallo G, Zingirian M, Gandolfo E, Capris P, Rolando M, Fioretto M, Cerutti S, Iester M: Updating the role of diffuse field loss in glaucoma diagnosis. In: Perimetry Update 1994/1995, Mills RP and Wall M, eds, Kugler, Amsterdam 1995, pp 283 - 287.

Cunha, L: High-pass resolution perimetry vs. conventional automated perimetry in ocular hypertension and glaucoma. In manuscript.

Dannheim F, Abramo F, Verlohr D: Comparison of automated conventional and spatial resolution perimetry in glaucoma. In: *Perimetry Update 1988/89*, Heijl A ed, Kugler and Ghedini, Amsterdam 1989, pp 383-392.

Dannheim F, Roggenbuck C: Comparison of automated conventional and spatial resolution perimetry in chiasmal lesions. In: *Perimetry Update 1988/89*, Heijl A ed, Kugler and Ghedini, Amsterdam 1989, pp 377-382.

Dannheim F, Roggenbuck C: Perimetrie mit örtlichen Auflösungsvermögen im Vergleich zur konventionellen Perimetrie bei Amblyopen. In manuscript.

Demirel S, Anderson RS, Haggerty K, Thibos LN: Detection and resolution of high-pass (vanishing-optotype) letters in central and peripheral vision. Abstract, American Academy of Optometry 1998.

Douglas GR, Drance SM, Mikelberg FS, Schulzer M, Wijsman K: Variability of the Frisén ring perimeter. In: *Perimetry Update 1988/89*, Heijl A ed, Kugler and Ghedini, Amsterdam 1989, pp 197- 198.

Drance SM, Douglas GR, Schulzer M, Wijsman K: The learning effect of the Frisén high pass resolution perimeter. In: *Perimetry Update 1988/89*, Heijl A ed, Kugler and Ghedini, Amsterdam 1989, pp 199-201.

Fraser JA, Cioffi GA, Van Buskirk EM: High-pass resolution perimetry and early glaucomatous visual field loss. ARVO Abstract, Invest Ophthalmol Vis Sci Suppl, 1992.

Frisén L: Vanishing optotypes. New type of acuity test letters. *Arch Ophthalmol* 104: 1194-1198, 1986.

Frisén L: A computer graphics visual field screener using high-pass spatial frequency resolution targets and multiple feedback devices. *Doc Ophthalmol Proc Ser* 49:441-446, 1987.

Frisén L: High-pass resolution targets in peripheral vision. *Ophthalmology* 94:1104-1108, 1987.

Frisén L: Acuity perimetry: estimation of neural channels. *Int Ophthalmol* 12:169-174, 1988.

Frisén L: Visual acuity and visual field tests: psycho-physical vs pathophysical objectives. In: *Physiological Aspects of Clinical Neuro-Ophthalmology*, Kennard C and Rose FC, eds. 1988, Chapman and Hall, London pp 3-26.

Frisén L: Automatic perimetry: Possibilities for individual adaptation and feedback. *Doc Ophthalmol* 693-9, 1988.

Frisén L: A shape statistic for visual field evaluation. Utility in monir optic neuropathy. *Neuro-Ophthalmology* 9:347-354, 1989.

Frisén L: Perimetric variability: Importance of criterion level. *Doc Ophthalmol* 70:323-330, 1989.

Frisén L: High-pass resolution perimetry. Recent developments. In: *Perimetry Update 1988/89*, Heijl A ed, Kugler and Ghedini, Amsterdam 1989, pp 369-375.

Frisén L: *Clinical Tests of Vision*. Raven Press, New York 1990.

Frisén L: Estimating neuro-retinal visual channels in early multiple sclerosis. Abstract, VIIIth Int Neuro-Ophthalmology Soc Meeting, Winchester, England, 1990.

Frisén L: Visual field difference plots. In: *Perimetry Update 1990/91*, Mills RP and Heijl A, eds, Kugler, Amsterdam 1991, pp359 - 363.

Frisén L: A child's play version of high-pass resolution perimetry. In: *Perimetry Update 1990/91*, Mills RP

and Heijl A, eds, Kugler, Amsterdam 1991, p 349.

Frisén L: High-pass resolution perimetry and age-related loss of visual pathway neurons. *Acta Ophthalmol* 69: 511 -515, 1991.

Frisén L: Theoretical aspects of high-pass resolution perimetry. *HighTech Vision*, Malmö, 1991.

Frisén L: High-pass resolution perimetry: evidence for parvocellular channel dependence. *Neuro-ophthalmology* 12: 257 - 264, 1992.

Frisén L: High-pass resolution perimetry. Abstract, XIth Congress of the European Society of Ophthalmology, 1992.

Frisén L: Quantitative views of the visual system from high-pass resolution perimetry. Abstract, XIth Congress of the European Society of Ophthalmology, 1992.

Frisén L: Resolution theory and high-pass resolution perimetry (HRP). In: *Perimetry Update 1992/93*, Mills RP, ed. Kugler, Amsterdam 1993, pp 419 - 427.

Frisén L: High-pass resolution perimetry. A clinical review. *Doc Ophthalmol* 83: 1 - 25, 1993.

Frisén L: Ringperimetrie. In: *Perimetrie mit besonderer Berücksichtigung der automatischen Perimetrie*, Gloor B, ed, Enke, Stuttgart 1993, pp 138 - 149.

Frisén L: High-pass resolution perimetry: central-field neuroretinal correlates. *Vision Res* 35: 293 - 301, 1995.

Frisén L: La périmétrie passe-haute. In: *Bechetoille A: Les Glaucomes, Vol 1*, pp 126 - 129. Japperenard, Angers 1997.

Frisén L: Reconsideration of visual field incongruence. In: *Perimetry Update 1996/97*, M Wall and A Heijl, eds. Kugler, Amsterdam 1997, pp 365 - 376.

Frisén L: Estimating cataract by means of resolution perimetry. In: *Perimetry Update 1998/99*, M Wall and JM Wild, eds. Kugler, Amsterdam 1999, pp 289 - 299.

Frisén L: Student's visual field map. In: *Perimetry Update 2000/2001*, M Wall, JRP Mills, eds. Kugler, The Hague, pp 81 – 84.

Frisén L: New, sensitive window on abnormal spatial vision: rarebit probing. *Vision Res* 42:1931-9, 2002.

Frisén L: Spatial vision in visually asymptomatic subjects at high risk for multiple sclerosis. *J Neurol Neurosurg Psychiat* . 74:1145-7, 2003.

Frisén L, Lindblom B: Binocular summation in humans: evidence for a hierarchic model. *J Physiol*, 402: 773 - 782, 1988.

Frisén L, Lindblom B: A primer of ophthalmic computer graphics. *Doc Ophthalmol* 74: 337- 350, 1990.

Frisén L, Lycke J: Evolution of insidious visual field loss in multiple sclerosis. Abstract, *Neuro-Ophthalmology* 23: 182, 2000.

Frisén L, Nikolajeff F: Properties of high-pass resolution perimetry targets. *Acta Ophthalmol* 71, 320 - 326, 1993.

Frisén L, Rossitti S: Relative dispersion analysis improves perimetric sensitivity. *Vision Res* 36: 491 - 497,

1996.

Fujimoto N, Adachi E: Automatic perimetry and reaction time. Abstract, Japan Glaucoma Society 1993 (in Japanese).

Fujimoto N, Azegami Y, Adachi E: High-pass resolution perimetry and reaction time. Paper presented at Kento Ophthalmology Meeting, Japan 1993 (in Japanese).

Gandolfo E, Capris P, Corallo G: Esame del Campo Visivi. Chapter 2 in: Zingirian M, Calabria G, Ciurlo G (Eds): *Oftalmologia e Qualit... della Visione*, pp 64-66. INC, Genova 1992.

Graham SL, Drance SM: Interpretation of high-pass resolution perimetry with a probability plot. *Graefe's Arch Clin Exp Ophthalmol* 233: 140 - 149, 1995.

Graham SL, Drance SM, Chauhan BC, Swindale NV, Hnik P, Mikelberg FS, Douglas GR: Comparison of psychophysical and electrophysiological testing in early glaucoma. *Invest Ophthalmol Vis Sci* 37: 2651 - 2662, 1996.

Graham SL, Drance SM, Hnik P, Douglas GR, Mikelberg FS: Sensitivity and specificity of static differential threshold, blue/yellow, and high-pass resolution perimetry for detection of early glaucoma. ARVO Abstract, *Invest Ophthalmol Vis Sci Suppl*, 1994.

Gustafsson J, Unsbo P: Correcting peripheral refractive errors in low vision subjects with central scotoma. ARVO 2001, Abstract No 4581.

Gustafsson J, Unsbo P: Eccentric correction for off-axis vision in central visual field loss. *Optom Vis Sci* 80: 535-41, 2003.

Hnik P, Chauhan BC, Drance SM, Chan AB: Temporal summation in early glaucoma. In: *Perimetry Update 1996/1997*, M Wall, A Heijl, eds. Kugler, Amsterdam 1997, pp 223 - 226.

House PH, Chauhan BC: Thresholding strategies in conventional and high-pass resolution perimetry. ARVO Abstract, *Invest Ophthalmol Vis Sci Suppl*, 1991.

House PH, Chauhan BC, McCormick TA, LeBlanc RP: Comparison of high-pass resolution perimetry and conventional perimetry in a prospective study of patients with early glaucoma. ARVO Abstract, *Invest Ophthalmol Vis Sci Suppl*, 1998.

House PH, Cooper RL, Bulsara M: Comparing long term variability using the Humphrey Field Analyser and the Ring Perimeter in glaucoma patients and normal subjects. In: *Perimetry Update 1992/93*, Mills RP, ed. Kugler, Amsterdam 1993, pp 63 - 71.

House PH, Drance SM, Schulzer M, Wijsman K: The effect of refractive blur on the visual field using the ring perimeter. *Acta Ophthalmol* 68: 87 - 90, 1990.

House PH, Schulzer M, Drance SM, Douglas GR: Characteristics of the normal central visual field measured with resolution perimetry. *Graefe's Arch Clin Exp Ophthalmol* 229: 8 - 12, 1991.

House PH, Schulzer M, Drance SM, Douglas GR: The effect of lens opacity on the resolution visual field in normal subjects. *Doc Ophthalmol* 83: 27 - 32, 1993.

Hölzl MJ: Einfluss von Fehlrefraktion und artifiziellen Medientrüben auf die Sehschärfepерimetrie. Thesis, University of Munich, 1993.

Hölzl MJ, Lachenmayr BJ, Viwell PMO: Einfluss von Fehlrefraktion und artifiziellen Medientrüben auf Sehschärfepерimetrie. *Fortschr Ophthalmol* 88: 875 - 880, 1991.

- Johnson, CA: Modern developments in clinical perimetry. *Current Opin Ophthalmol* 4: 7 - 13, 1993.
- Iester M, Altieri M, Capris P, Vittone P, Zingirian M, Traverso CE: Different perimetric techniques to detect early glaucomatous defects. *Acta Ophthalmol Suppl* 236: 22-24, 2002.
- Iester M, Altieri M, Capris P, Zingirian M, Traverso CE: Comparison between relative dispersion analysis of high-pass resolution perimetry and standard threshold perimetry. *Eye* 14: 742 - 6, 2000.
- Iester M, Altieri M, Traverso C, Capris P, Zingirian M: Relative dispersion analysis. *Acta Ophthalmol* 77, Suppl 229: 62 - 63, 1999.
- Iester M, Altieri M, Traverso C, Capris P, Zingirian M: Correlation of relative dispersion analysis and other high-pass resolution perimetry indices with standard threshold perimetry. *Perimetry Update 1998/1999*, Wall M and Wild JM, eds, Kugler, The Hague 1999, pp 301 - 305.
- Iester M, Altieri M, Vittone P, Calabria G, Zingirian M, Traverso CE: Detection of glaucomatous visual field loss by nonconventional perimetry. *Am J Ophthalmol* 135: 35-39, 2003
- Iester M, Capris P, Altieri M, Zingirian M, Traverso CE: Correlation between high-pass resolution perimetry and standard threshold perimetry in subjects with glaucoma and ocular hypertension. *Int Ophthalmol* 23: 99 - 103, 1999.
- Iester M, Rolando M, Mochi B, Semino E, Traverso C, Zingirian M: Optic disk features and "neural capacity" of high-pass resolution perimetry. In: *Perimetry Update 1994/1995*, Mills RP and Wall M, eds, Kugler, Amsterdam 1995, pp 211 - 216.
- Jakobsson KE, Petruson B, Lindblom B: Dynamics of visual improvement following chiasmal decompression. Quantitative pre- and postoperative observations. *Acta Ophthalmol* 80: 512 – 516, 2002.
- Kalaboukhova L, Fridhammar V, Lindblom B: Glaucoma follow-up by the Heidelberg Retina Tomograph. *Graefes Arch Clin Exp Ophthalmol*. 12:1-9, 2005
- Kalaboukhova L, Lindblom B: Frequency doubling perimetry and high-pass resolution perimetry in glaucoma and ocular hypertension. *Acta Ophthalmol Scand* 81: 247 – 252, 2003.
- Kirkner R: Perimetry testing on the cutting edge. *Rev Optometry* August 15 : 51 – 59, 1994.
- Kono Y, Chi Q, Tomita G, Yamamoto T: "Neural Capacity" index correlates with neuroretinal rim area of glaucomatous eyes better than light sensitivity. *J Japan Ophthalmol Soc* 100: 223 - 229, 1966 (in Japanese).
- Kono Y, Chi Q, Tomita G, Yamamoto T, Kitazawa Y: Relationship between quadrants of neuroretinal rima area of glaucomatous optic disk and both "neural capacity" of high-pass resolution perimetry and mean deviation of HFA: a comparative study. In: *Perimetry Update 1994/1995*, Mills RP and Wall M, eds, Kugler, Amsterdam 1995, p 209.
- Kono Y, Maeda M, Yamamoto T, Kitazawa Y: Comparison of test results between high-pass resolution and differential light sense perimetry. Abstract, NICHIGAN, Japan 1992 (in Japanese).
- Kono Y, Maeda M, Yamamoto T, Kitazawa Y: A comparative study between high-pass resolution perimetry and differential light sense perimetry in glaucoma patients. In: *Perimetry Update 1992/93*, Mills RP, ed. Kugler, Amsterdam 1993, pp 409 - 413.
- Kono Y, Maeda M, Yamamoto T, Kitazawa Y: Comparison of high-pass resolution perimetry and differential light sense perimetry in glaucoma patients. *J Jpn Ophthalmol Soc* 97: 644 - 648, 1993 (in Japanese).

Kono Y, Motobe C, Yamamoto T, Kitazawa Y: Relation between Neural Capacity Index (HRP) and MLT (HFA) and optic disc area. Abstract, Japan Glaucoma Society 1993 (in Japanese).

Kono Y, Yamamoto T, Kitazawa Y: Comparison of scoring systems in high-pass resolution and differential light sense perimetry. Abstract, Ringan 1993 (in Japanese).

Kono Y, Chi QM, Tomita G, Yamamoto T, Kitazawa Y: High-pass resolution perimetry and a Humphrey field analyzer as indicators of glaucomatous optic disc abnormalities: A comparative study. *Ophthalmology* 104: 1496 - 1502, 1997.

Kono Y, Yamamoto T, Kitazawa Y: A new scoring system for comparing the results of high-pass resolution perimetry and differential light sensitivity perimetry in glaucoma patients. *Acta Ophthalmol* 75: 537 - 540, 1998.

Lachenmayr BJ, Airaksinen PJ, Drance SM, Wijsman K: Correlation of retinal nerve-fiber-layer loss, changes at the optic nerve head and various psychophysical criteria in glaucoma. *Graefe's Arch Clin Exp Ophthalmol* 229: 133 - 138, 1991. Also in: *Perimetry Update 1990/91*, Mills RP and Heijl A, eds, Kugler, Amsterdam 1991, pp 27 - 34.

Lachenmayr BJ, Angstwurm K, Bachmayer B, Kojetinsky S, Schaumberger MM: The normal visual field in light-sense, flicker and resolution perimetry. In: *Perimetry Update 1992/93*, Mills RP, ed. Kugler, Amsterdam 1993, pp 429 - 433.

Lachenmayr BJ, Angstwurm K, Bachmayer B, Schaumberger MM, Ostermaier N: Differential age-effects on normal sensitivity in light-sense, flicker and resolution perimetry. *ARVO Abstract, Invest Ophthalmol Vis Sci Suppl*, 1993.

Lachenmayr BJ, Drance SM, Airaksinen PJ: Diffuse field loss and diffuse retinal nerve-fiber loss in glaucoma. *German J Ophthalmol* 1: 22 - 25, 1992.

Lachenmayr BJ, Drance SM, Chauhan BC, House PH, Lalani S: Diffuse and localized glaucomatous field loss in light-sense, flicker and resolution perimetry. *Graefe's Arch Clin Exp Ophthalmol* 229: 267 - 273, 1991.

Lachenmayr BJ, Drance SM, Douglas GR, Mikelberg FS: Light-sense, flicker and resolution perimetry in glaucoma: A comparative study. *Graefe's Arch Clin Exp Ophthalmol* 229: 246 - 251, 1991. Also in: *Perimetry Update 1990/91*, Mills RP and Heijl A, eds, Kugler, Amsterdam 1991, pp 351 - 356.

Lachenmayr BJ, Kojetinsky S, Vivell PM: Is there an accelerated loss at older age for normal sensitivity in the central visual field? In: *Perimetry Update 1994/1995*, Mills RP and Wall M, eds, Kugler, Amsterdam 1995, pp 49 - 56.

Lachenmayr BJ, Viwell PMO: *Perimetrie*, pp 315 - 324. Thieme, Stuttgart 1992

Larsson E, Martin L, Holmström G: Peripheral and central visual fields in 11-year-old children who had been born prematurely and at term. *J Ped Ophthalmol Strab* 41: 39 - 45, 2004.

Lindblom B: Binocular interaction in lesions of the visual system. *Neuro-ophthalmology* 9: 3 - 29, 1989.

Lindblom B: High-pass resolution perimetry: a new method for the early detection of visual field defects. *Chibret Int J Ophthalmol* 7: 33 - 41, 1990.

Lindblom B: Perimetry and retinal lesions: a pathophysiological study. In: *Perimetry Update 1990/91*, Mills RP and Heijl A, eds, Kugler, Amsterdam 1991, p 357.

- Lindblom B: Effects of laser-induced retinal lesions on perimetric thresholds. *Doc Ophthalmol* 79:241 - 252, 1992.
- Lindblom B: Spatial distribution of age effects in high-pass resolution perimetry. In: *Perimetry Update 1992/93*, Mills RP, ed. Kugler, Amsterdam 1993, pp 397 - 402.
- Lindblom B: Visual field defects in glaucoma demonstrated by high-pass resolution perimetry. Submitted for publication.
- Lindblom B: Reliability indices in glaucoma. A comparison between conventional and high-pass resolution perimetry. In: *Perimetry Update 1994/1995*, Mills RP and Wall M, eds, Kugler, Amsterdam 1995, pp 201 - 207.
- Lindblom B, Jakobsson KE: Chiasmal compression: early visual restoration following trans-sphenoidal surgery. Abstract, *Neuro-Ophthalmology* 23: 204, 2000.
- Lindblom B, Hoyt WF: High-pass resolution perimetry in neuro-ophthalmology. *Clinical impressions. Ophthalmology* 99: 700 -705, 1992.
- Lycke J, Tolleson PO, Frisén L: Asymptomatic visual loss in multiple sclerosis. *J Neurol* 248: 1079 – 86, 2001.
- Lycke J, Svennerholm B, Hjelmqvist E, Frisén L, Badr G, Andersson M, Vahlne A, Andersen O: Acyclovir treatment of relapsing- remitting multiple sclerosis. A randomized, placebo-controlled, double-blind study. *J Neurol* 243: 214 -224, 1996.
- Maeda M, Iwase A, Kitazawa Y: Reproducibility of high-pass resolution perimetry. Abstract, Ringan 1991 (in Japanese).
- Maeda M, Tomita G, Kitazawa Y: The reproducibility of high-pass resolution perimetry in normal subjects. *Atarashii Ganka* 9: 1063- 1068, 1992 (in Japanese).
- Marraffa M, Marchini G, Mansoldo C, Morbio M, Palmara A, Tomazzoli L: Strato delle fibre nervose e canali neurofunzionali nel glaucoma ipertensivo. Studio con NFA e perimetria HRP. *Minerva Oftalmol* 39: 1 - 3, 1997.
- Marraffa M, Marchini G, Morselli S, Pucci V, Belucci R, Bonomi L: Glaucoma e cataratta: valutazione con perimetria high-pass resolution e perimetria tradizionale. *Minerva Oftalmol* 36: 351 - 353, 1994.
- Marraffa M, Marchini G, Pucci V, Morselli S, Belucci R, Bonomi L: La perimetria high-pass resolution in bambini normali e glaucomatosi al di sotto di 11 anni. *Minerva Oftalmol* 36: 325 - 328, 1994.
- Marraffa M, Pucci V, Marchini G, Morselli S, Belucci R, Bonomi L: HPR perimetry and Humphrey perimetry in glaucomatous children. *Docum Ophthalmol* 89: 383 - 386, 1995.
- Marchini G, Marraffa M, Brusini P, Tosoni C, Pucci V, Morselli S, Bonomi L: Riproducibilit... della perimetria high-pass resolution nel soggetto normale e nei pazienti glucomatosi con diffeti perimetrici stabilizzati. *Minerva Oftalmol* 36: 183 - 185, 1994.
- Marchini G, Marraffa M, Palmara A, Milan E: La perimetria high-pass resolution nella sindrome chiasmatica. *Minerva Oftalmol* 36: 245 - 249, 1994.
- Martin L: Computer-assisted management of primary open-angle glaucoma. Knowledge acquisition and prototype testing. *Comput Nurs* 14: 267 - 271, 1996.
- Martin L: Cataract and high-pass resolution perimetry. *Acta Ophthalmol* 75: 174 - 177, 1997.

Martin L: Computerized method to measure glare and contrast sensitivity in cataract patients. *J Cat Refract Surgery* 25: 411 - 415, 1999.

Martin L, Gedda U: Persistent visual field defects after craniopharyngioma surgery. A comparison between high-pass resolution and kinetic Goldmann perimetry. In: *Perimetry Update 1996/1997*, M Wall, A Heijl, eds. Kugler, Amsterdam 1997, pp 391 - 394.

Martin L, Gedda U: Comparison between optic nerve head topography - using the Heidelberg retinal tomograph- and resolution visual fields. *Perimetry Update 1998/1999*, Wall M and Wild JM, eds, Kugler, The Hague 1999, pp 391 - 394.

Martin L, Magnusson G, Popovic Z, Sjöstrand J. Resolution visual fields in children surgically treated for bilateral congenital cataract. *Invest Ophthalmol Vis Sci* 2008, in press

Martin L, Lindblom B, Gedda U: Concordance between results of optic disc tomography and high-pass resolution perimetry in glaucoma. *J Glaucoma* 9: 28 - 33, 2000.

Martin L, Wanger P: Five-year follow-up of treated patients with glaucoma using resolution perimetry. *J Glaucoma* 7: 22 - 26, 1998.

Martin-Boglund L: Ringperimetri. Författares Bokmaskin, Stockholm 1991.

Martin-Boglund L: Influence of amblyopia on high-pass resolution perimetry. *Ophthalmologica* 203: 99 - 104, 1991.

Martin-Boglund L: High-pass resolution perimetry in uncomplicated myopia. *Acta Ophthalmol* 69: 516 - 520, 1991.

Martin-Boglund L: Computer-assisted interpretation of resolution visual fields from patients with chiasmal and retrochiasmal lesions. *Ophthalmologica* 207: 148 - 154, 1993.

Martin-Boglund L: Computer-assisted interpretation of resolution visual fields. Basic studies and program development. Thesis, Stockholm: Karolinska Institutet, 1993.

Martin-Boglund L, Graves A, Wanger P: High-pass resolution perimetry in glaucoma. Abstract, ICO XXVI Glaucoma Symp, Singapore, March 17 - 17, 1990.

Martin-Boglund L, Graves A, Wanger P: The effect of topical antiglaucoma drugs on the results of high-pass resolution perimetry. *Am J Ophthalmol* 111: 711 - 715, 1991.

Martin L, Magnusson G, Popovic Z, Sjöstrand J. Resolution visual fields in children surgically treated for congenital cataract. *EVER Abstract*, 2007.

Martin-Boglund L, Wanger P: The influence of feedback devices, learning and cheating on the results of high-pass resolution perimetry. In: *Perimetry Update 1988/89*, Heijl A ed, Kugler and Ghedini, Amsterdam 1989, pp 393-398.

Martin-Boglund L, Wanger P: Computer-assisted evaluation of the results from high-pass resolution perimetry; a knowledge-based system. In: *Perimetry Update 1990/91*, Mills RP and Heijl A, eds, Kugler, Amsterdam 1991, pp 297 -301.

Martin-Boglund L, Wanger P: The effect of treatment on the results of high-pass resolution perimetry in glaucoma. *Acta Ophthalmol* 72: 423 - 428, 1994.

Martin-Boglund L, Wanger P: Resolution perimetry in glaucoma follow-up. In: *Perimetry Update*

1994/1995, Mills RP and Wall M, eds, Kugler, Amsterdam 1995, pp 181 - 183.

Martin L, Wanger P, Vancea L, Göthlin B. Concordance of high-pass resolution perimetry and frequency-doubling technology perimetry results in glaucoma: no support for selective ganglion cell damage. *J Glaucoma*. 2003;12:40-4.

Martinez GA, Sample PA, Weinreb RN: Comparison of high-pass resolution perimetry and standard automated perimetry in glaucoma. *Am J Ophthalmol* 119: 195 - 201, 1995.

Martínez-Belló C, Chauhan BC, Nicolela MT, McCormick TA, LeBlanc RP: Intraocular pressure and progression of glaucomatous visual field loss. *Am J Ophthalmol* 129: 302 - 308, 2000.

McKendrick AM: Recent developments in perimetry: test stimuli and procedures. *Clin Exp Optom*. 88:73-80, 2005.

Meyer JH, Funk J: Einfluss artefizieller Medientrübnungen auf die Sehschärfeperimetrie nach Frisén und die konventionelle Lichtsinperimetrie. Abstract Deutsche Ophthalmol Gesellschaft, Mannheim 1992.

Meyer JH, Funk J: Sensitivity of conventional light sense perimetry and ring perimetry to artificial media opacities and glaucoma: A comparative study. In: *Perimetry Update 1992/93*, Mills RP, ed. Kugler, Amsterdam 1993, pp 403 - 407.

Meyer JH, Funk J: Correlation between optic disc changes and visual field impairment in patients with unilateral glaucoma. *ARVO Abstract, Invest Ophthalmol Vis Sci Suppl*, 1994.

Meyer JH, Funk J, Walter S, Bach M: The Freiburg OHT trial. 5-year-results of early diagnosis of glaucoma with ring perimetry and pattern-ERG. Abstract Deutsche Ophthalmol Gesellschaft, Berlin 1997.

Meyer JH, Kommerell G: Scotoma detection in the presence of media opacity: comparison of resolution ("ring") and light sense perimetry. Submitted for publication. Also, Abstract, Xth Int Neuro-Ophthalmology Soc Meeting, Freiburg, Germany, 1994.

Meyer JH, Littan T, Funk J, Kommerell G: Comparison of ring perimetry and conventional light sense perimetry regarding the reliability of the topical diagnosis of lesions of the visual pathways. Abstract Deutsche Ophthalmol Ges 1993; *German J Ophthalmol* 2: 353, 1993.

Meyer JH, Littan T, Funk J, Kommerell G: Capacity of ring-perimetry and light sense perimetry in the topical diagnosis of the visual pathway. *Neuro-ophthalmology* 14: 337 - 344, 1994.

Mills RP, Li Y, Trivedi B: Performance of unreliable patients on repeat perimetry. In: *Perimetry Update 1992/93*, Mills RP, ed. Kugler, Amsterdam 1993, pp 527 - 532.

Mirabel S: Visual function and perception. *Current Opin Ophthalmol* 3: 581-591, 1992.

Mochi B, Rathschuler F, Corallo G, Rolando M, Calabria G: High-pass resolution perimetry nella pratica clinica oculistica. *Atti Riun Soc Oftalmol Nord-Occ* 1992 (in press).

Molfino F, Schenone M, Capris P, Traverso CE, Zingirian M: Comparison of static threshold perimetry vs high-pass resolution perimetry in glaucoma follow-up. *ARVO Abstract, Invest Ophthalmol Vis Sci Suppl*, 1997.

Morescalchi F, Traverso CE, Semino E, Novaro C, Rolando M, Gandolfo E, Zingirian M: Confronto fra perimetria statica e perimetria high-pass resolution nel glaucoma primario in stadio avanzato. *Minerva Oftalmol* 36: 179 - 182, 1994.

Mueller AJ, Puchtinger C, Schaumberger MM, Lachenmayr BJ: Influence of refractive errors and artificial

media opacities on resolution perimetry in patients with POAG. ARVO Abstract, Invest Ophthalmol Vis Sci Suppl, 1993.

Mustonen EMA, Alanko HI: Unilateral optic disc drusen: High-pass resolution perimetry, absolute optic disk size in the fellow eye. Abstract, VIIIth Int Neuro-Ophthalmology Symposium, Winchester, June 23 - 29, 1990.

Mustonen EMA: Near correction on ring perimeter. Abstract, Xith Congress of the European Society of Ophthalmology, 1992.

Nakao H, Tomita G, Chi QM, Kono Y, Kitazawa Y: Correlation between paracentral visual field loss and the temporal peripapillary nerve fiber layer surface height in normal-tension glaucoma. Submitted for publication.

Nordmann JP: Early visual disturbances in glaucoma. *Curr Opin Ophthalmol* 7: 47 - 54, 1996.

Oyama K, Tamaki R, Kitahara K: The use of high-pass resolution perimeter in normal subjects, glaucoma, optic nerve diseases and other clinical cases. *Folia Ophthalmol Japon* 43: 338 - 343, 1992.

Oyama K, Tokuhisa T, Kitahara K, Tamaki R: Using the high-pass resolution perimeter in determining the usefulness of CPF lenses in retinal dystrophies. In: *Perimetry Update 1992/93*, Mills RP, ed. Kugler, Amsterdam 1993, pp 569 - 572.

Oyama K, Yoshida N, Kubo A, Tamaki R, Kitahara K: User experience with high-pass resolution perimetry. Abstract, Ringan 1989 (in Japanese).

Pastor SA, Williams RD, Glenday MC, Hoskins HD, Hetherington J: Variability of high-pass resolution perimetry in open angle glaucoma patients. ARVO Abstract, Invest Ophthalmol Vis Sci Suppl, 1992.

Pastori G, Parentin F, Baccara F, Ravalico G: Analysis of spatial resolution threshold in pseudophakic eyes with multifocal IOLs. Abstract, XII International Perimetric Society Meeting, 1996.

Polizzi A, Schenone M, Balestra G, Ciurlo C, Gatti G, Mancardi G, Bandini F, Corallo G: Analysis of early visual field defects in multiple sclerosis patients. Correlation with chromatic sense evaluation and pattern reversal visual evoked potentials. In: *Perimetry Update 1996/1997*, M Wall, A Heijl, eds. Kugler, Amsterdam 1997, pp 387 - 390.

Popovic V, Sjöstrand J: Course of exfoliation and simplex glaucoma after primary trabeculectomy. *Br J Ophthalmol* 83: 305 - 310, 1999.

Popovic Z, Sjöstrand J: Relationship of receptive field estimates and resolution in the human retina. *Vision Res* 41:1313-9, 2001.

Popovic Z, Sjöstrand J: Detection and resolution thresholds of high-pass filtered resolution perimetry targets. Abstract, XV International Perimetric Society Meeting, 2002.

Popovic Z, Sjöstrand J: Resolution Thresholds of High-Pass Filtered Targets. ARVO abstract 2790/B629, 2003.

Popovic Z, Sjöstrand J: The relation between resolution measurements and numbers of retinal ganglion cells in the same human subjects. *Vision Res*. 45:2331-8, 2005.

Ravalico G, Parentin F, Pastori G, Baccara F: Spatial resolution threshold in pseudophakic patients with monofocal and multifocal intraocular lenses. *J Cataract Refract Surg* 24: 244 - 248, 1998.

Reiser EM, Lachenmayr BJ, Vivell PMO: Erfassung glaukomatöser Gesichtsfelddefekte mittels der

Sehschärfeperimetrie. Abstract, Deutsch Ophthalmol Ges 1990.

Rogers JB, Chauhan BC, LeBlanc RP: Temporal summation in glaucoma patients and normal controls using high-pass resolution stimuli. ARVO Abstract, Invest Ophthalmol Vis Sci Suppl, 1994.

Rolando M, Corallo G, Mochi B, Gandolfo E, Calabria G: La perimetria high-pass per la diagnosi ed il follow-up del glaucoma. Atti VII Riun Assoc Ital Studio Glaucoma 1992 (in press).

Rolando M, Iester M, Campagna P, Calabria G: Deterioramento delle funzioni visivi in corso di glaucoma. Chapter 15 in: Zingirian M, Calabria G, Ciurlo G (Eds): Oftalmologia e Qualit... della Visione, pp 64-66. INC, Genova 1992.

Rudolph T, Frisén L: Effect of ageing on visual field defects due to stable lesions. Submitted

Sample PA, Ahn DS, Lee PC, Weinreb RN: High-pass resolution perimetry in eyes with ocular hypertension and primary open-angle glaucoma. Am J Ophthalmol 113: 309 - 316, 1992.

Sample PA, Madrid ME, Weinreb RN: Evidence for a variety of functional defects in glaucoma-suspect eyes. J Glaucoma 3: S5 - S18, 1994.

Sample PA, Medeiros FA, Racette L, Pascual, JP, Boden C, Zangwill LM, Bowd C, Weinreb RN: Visual Function Specific Perimetry to Identify Glaucomatous Vision Loss in the Diagnostic Innovations in Glaucoma Study. ARVO abstract, 2006

Sample PA, Medeiros FA, Racette L, Pascual, JP, Boden C, Zangwill LM, Bowd C, Weinreb RN: Identifying glaucomatous vision loss with visual-function-specific perimetry in the diagnostic innovations in glaucoma study. Invest Ophthalmol Vis Sci 47: 3381 -9, 2006.

Sample PA, Weinreb RN: What's new in automated perimetry. Rev Ophthalmol (June 1994): 56 - 59.

Sampaolesi R, Casiraghi JF, Sampaolesi JR: A comparative study between differential light sense perimetry and high-pass resolution perimetry in congenital glaucoma. In: Perimetry Update 1994/1995, Mills RP and Wall M, eds, Kugler, Amsterdam 1995, pp 189 - 195.

Schenone M, Traverso CE, Molfino F, Capris P, Corallo G, Semino E: Comparison between computerized static perimetry and high-pass resolution perimetry in the follow-up of glaucomatous patients. Acta Ophthalmol Suppl 224: 48 - 49, 1997.

Seideman M, Johansson K: Eye examination in car drivers with suspended licenses and matched controls. Aging and Driving, Stockholm 1994, pp 19 - 26.

Semino E, Mochi B, Iester M, Rolando M, Traverso CE, Calabria GA: Correlations between optic disc morphology and functional channels of high-pass resolution perimetry. ARVO Abstract, Invest Ophthalmol Vis Sci Suppl, 1994.

Shirakashi M, Abe H, Sawaguchi S, Funaki S: Measurement of thickness of retinal nerve fiber layer by scanning laser polarimetry and high-pass resolution perimetry. Acta Ophthalmol 75: 641 - 644, 1997.

Shirakashi M, Abe H, Sawaguchi S, Funaki S: Retinal nerve fiber layer thickness and neural capacity by high-pass resolution perimetry in glaucoma. Jap J Clin Ophthalmol 51: 335 - 338, 1997.

Shirakashi M, Funaki S, Funaki H, Yaoeda K, Abe H: Measurement of retinal nerve fibre layer by scanning laser polarimetry and high-pass resolution perimetry in normal tension glaucoma with relatively high or low intraocular pressure. Br J Ophthalmol 83: 353 - 357, 1999.

Shirakashi M, Funaki S, Funaki H, Yaoeda K, Hashimoto K, Abe H: Measurement of retinal nerve fibre

layer by scanning laser polarimetry and high-pass resolution perimetry in normal tension glaucoma. ARVO Abstract, Invest Ophthalmol Vis Sci Suppl, 1999.

Sjöstrand J, Olsson V, Popovic Z, Conradi N: Quantitative estimations of foveal and extra-foveal retinal circuitry in humans. *Vision Res* 39: 2987 - 2998, 1999.

Sjöstrand J, Popovic Z: Visual field in children following surgery for congenital cataract. ARVO 2001, Abstract No 2085.

Sjöstrand JB, Popovic Z, Frisén L. Intra-individual Relations between Resolution and Retinal Ganglion Cell Numbers. ARVO Abstract 2786/B625, 2003.

Stewart WC, Chauhan BC: Newer visual function tests in the evaluation of glaucoma. *Survey Ophthalmol* 40: 119 - 135, 1995.

Tagawa I, Adachi M, Shirato S: Experience with high-pass resolution perimetry. Abstract, Ringan 1993 (in Japanese).

Takada S, Matsumoto C, Arimura E, Hashimoto S, Okuyama S, Shimomura Y. Influence of media opacities on perimetric thresholds using W/W, B/Y, HRP, FDT and Flicker Perimetry. ARVO abstract, 2003.

Tokuhsa T, Nishio Y, Tamaki R, Kitahara K: The difference between resolution threshold and detection threshold in pigmentary retinal degeneration. Abstract, Ringan 1991 (in Japanese).

Tokuhsa T, Tamaki R, Oyama K, Kitahara K: A dissociation of thresholds between Goldmann kinetic perimetry and high-pass resolution perimetry in retinitis pigmentosa. *Acta Soc Ophthalmol Jap* 96: 1429 - 1432, 1992 (in Japanese). Also, *Perimetry Update 1992/93*, Mills RP, ed. Kugler, Amsterdam 1993, pp 573 - 576.

Tomita G, Maeda M, Sogano S, Kitazawa Y: An analysis of the relationship between high-pass resolution perimetry and neuroretinal rim area in normal-tension glaucoma. *Acta Ophthalmol* 71: 196 - 200, 1993.

Tomita G, Sogano S, Maeda M, Kitazawa Y: High-pass resolution perimetry (HRP) and retinal nerve fiber layer thickness in early glaucoma. ARVO Abstract, Invest Ophthalmol Vis Sci Suppl, 1992.

Tosoni C, Migliorati G, Beltrame G: High-pass resolution perimetry in suspected glaucoma and ibopamine test positive patients. In: *Perimetry Update 1994/1995*, Mills RP and Wall M, eds, Kugler, Amsterdam 1995, pp 197 - 199.

Tosoni C, Rasi V: Sensibilità contrasto, senso cromatico, perimetria automatica, perimetria high-pass resolution nella diagnosi precoce de glaucoma: utilite limiti. Abstract, 73rd Congr Soc Oftalmol Ital, 1993.

Traverso CE, Mochi B, Semino E, Grosso S, Iester M, Rolando G, Zingirian M: High-pass resolution perimetry for the assessment of visual field in advanced primary open-angle glaucoma. ARVO Abstract, Invest Ophthalmol Vis Sci Suppl, 1993.

Traverso CE, B, Semino E, Corallo G, Schenone M, Trillo C, Zingirian M: High-pass resolution perimetry vs static threshold perimetry in advanced primary open-angle glaucoma. Abstract, Joint Europ Res Meetings Ophthalmol Vision, Montpellier 1995. *Vision Res* 35: S-64, 1995.

Tuulonen A, Lehtola J, Airaksinen PJ: Does normal optic disc and normal visual field indicate absence of glaucomatous abnormality? *Ophthalmology* 100: 587 - 598, 1993.

Van Buskirk EM, Fraser J: High-pass resolution perimetry vs. automated static light threshold perimetry in glaucoma. ARVO Abstract, Invest Ophthalmol Vis Sci Suppl, 1991.

Varma DK, Artes PH, Nicoleta MT, LeBlanc RP, Chauhan BC. Comparison of three Psychophysical tests for detecting glaucomatous visual field progression. ARVO abstract, 2003.

Wall M: Resolution perimetry in optic neuritis. *Invest Ophthalmol Vis Sci* 32: 2525 - 2529, 1991.

Wall M, White II MN: Asymmetric papilledema in idiopathic intracranial hypertension: prospective interocular comparison of sensory visual function. *Invest Ophthalmol Vis Sci* 39: 134 - 142, 1997.

Wall M, Chauhan BC, Frisén L, House PH: The normal visual field of high-pass resolution perimetry. *J Glaucoma* 13:15-21, 2004.

Wall M, Conway MD, House PH, Allely R: Evaluation of sensitivity and specificity of spatial resolution and Humphrey automated perimetry in pseudotumor cerebri patients and normal subjects. *Invest Ophthalmol Vis Sci* 32: 3306 - 3310, 1991.

Wall M, Lefante J, Conway M: Variability of high-pass resolution perimetry in normals and patients with idiopathic intracranial hypertension. *Invest Ophthalmol Vis Sci* 32: 3091 - 3095, 1991.

Wall M, White WN: Asymmetric papilledema in idiopathic intracranial hypertension. Prospective intraocular comparison of sensory visual function. Submitted for publication.

Wanger P: Unilateral intraocular pressure increase: effects on high-pass resolution perimetry and retinal leukocyte velocity. In: *Perimetry Update 1992/93*, Mills RP, ed. Kugler, Amsterdam 1993, pp 393 - 396.

Wanger P, Martin-Boglund L: High-pass resolution perimetry: comparison between mean dB score and neural capacity in glaucoma diagnosis and follow-up. In: *Perimetry Update 1992/93*, Mills RP, ed. Kugler, Amsterdam 1993, pp 415 - 418.

Wanger P, Martin L: Management of ocular hypertension and open- angle glaucoma: clinical practice and computer-assisted decision- making. *Acta Ophthalmol* 75: 700 - 704, 1997.

Wanger P, Martin L: High-pass resolution perimetry in patients with chiasmal and other lesions of the optic pathways. Abstract, EVER 2003.

Wanger P, Persson HE: Pattern-reversal electroretinograms and high-pass resolution perimetry in suspected or early glaucoma. *Ophthalmology* 94:1098 - 1103, 1987.

Yu M, Zhou W, Ye T: A study of high-pass resolution perimetry in the early diagnosis of primary open-angle glaucoma. *Chung Hua Yen Ko Tso Chih* 32: 267 - 271, 1996 (in Chinese).